

UiO : **Department of Informatics**
University of Oslo

Refactoring

An unfinished essay

Erlend Kristiansen
Master's Thesis Spring 2014



Abstract

Empty document.

Contents

1	What is Refactoring?	1
1.1	Defining refactoring	1
1.2	The etymology of 'refactoring'	2
1.3	Motivation – Why people refactor	3
1.4	The magical number seven	4
1.5	Notable contributions to the refactoring literature	5
1.6	Tool support	6
1.7	Relation to design patterns	6
1.8	The impact on software quality	6
1.8.1	What is meant by quality?	6
1.8.2	The impact on performance	6
1.9	Composite refactorings	7
1.10	Manual vs. automated refactorings	7
1.11	Correctness of refactorings	8
1.12	Test Driven Development	9
1.13	Software metrics	9
2	...	11
2.1	The problem statement	11
2.2	Choosing the target language	11
2.3	Choosing the tools	11
3	Refactorings in Eclipse JDT: Design, Shortcomings and Wishful Thinking	13
3.1	Design	13
3.1.1	The Language Toolkit	13
3.2	Shortcomings	14
3.2.1	Absence of Generics in Eclipse Source Code	15
3.2.2	Composite Refactorings Will Not Appear as Atomic Actions	15
3.3	Wishful Thinking	15
4	Composite Refactorings in Eclipse	17
4.1	A Simple Ad Hoc Model	17
4.2	The Extract and Move Method Refactoring	17
4.2.1	The Building Blocks	17
4.2.2	The ExtractAndMoveMethodChanger Class	18

4.2.3	The ExtractAndMoveMethodPrefixesExtractor Class .	18
4.2.4	The Prefix Class	19
4.2.5	The PrefixSet Class	19
4.2.6	Hacking the Refactoring Undo History	19

List of Figures

1.1 The Extract Superclass refactoring	8
--	---

List of Tables

Preface

To make it clear already from the beginning: The discussions in this report must be seen in the context of object oriented programming languages, and Java in particular, since that is the language in which most of the examples will be given. All though the techniques discussed may be applicable to languages from other paradigms, they will not be the subject of this report.

Chapter 1

What is Refactoring?

This question is best answered by first defining the concept of a *refactoring*, what it is to *refactor*, and then discuss what aspects of programming that make people want to refactor their code.

1.1 Defining refactoring

Martin Fowler, in his masterpiece on refactoring [4], defines a refactoring like this:

Refactoring (noun): a change made to the internal structure of software to make it easier to understand and cheaper to modify without changing its observable behavior. [4]

what does he mean by internal?

This definition assign additional meaning to the word *refactoring*, beyond the composition of the prefix *re-*, usually meaning something like “again” or “anew”, and the word *factoring*, that can mean to determine the *factors* of something. Where a *factor* would be close to the mathematical definition of something that divides a quantity, without leaving a remainder. Fowler is mixing the *motivation* behind refactoring into his definition. Instead it could be made clean, only considering the mechanical and behavioral aspects of refactoring. That is to factor the program again, putting it together in a different way than before, while preserving the behavior of the program. An alternative definition could then be:

Definition. *A refactoring is a transformation done to a program without altering its external behavior.*

From this we can conclude that a refactoring primarily changes how the *code* of a program is perceived by the *programmer*, and not the *behavior* experienced by any user of the program. Although the logical meaning is preserved, such changes could potentially alter the program’s behavior when it comes to performance gain or -penalties. So any logic depending on the performance of a program could make the program behave differently after a refactoring.

In the extreme case one could argue that such a thing as *software obfuscation* is to refactor. If we where to define it as a refactoring, it

could be defined as a composite refactoring (see section 1.9), consisting of, for instance, a series of rename refactorings. (But it could of course be much more complex, and the mechanics of it would not exactly be carved in stone.) To perform some serious obfuscation one would also take advantage of techniques not found among established refactorings, such as removing whitespace. This might not even generate a different syntax tree for languages not sensitive to whitespace, placing it in the gray area of what kind of transformations is to be considered refactorings.

Finally, to *refactor* is (quoting Martin Fowler)

...to restructure software by applying a series of refactorings without changing its observable behavior. [4]

1.2 The etymology of 'refactoring'

It is a little difficult to pinpoint the exact origin of the word "refactoring", as it seems to have evolved as part of a colloquial terminology, more than a scientific term. There is no authoritative source for a formal definition of it.

According to Martin Fowler [3], there may also be more than one origin of the word. The most well-known source, when it comes to the origin of *refactoring*, is the Smalltalk¹ community and their infamous *Refactoring Browser*² described in the article *A Refactoring Tool for Smalltalk* [9], published in 1997. Allegedly [3], the metaphor of factoring programs was also present in the Forth³ community, and the word "refactoring" is mentioned in a book by Leo Brodie, called *Thinking Forth* [1], first published in 1984⁴. The exact word is only printed one place⁵, but the term *factoring* is prominent in the book, that also contains a whole chapter dedicated to (re)factoring, and how to keep the (Forth) code clean and maintainable.

find reference to Smalltalk website or similar?

...good factoring technique is perhaps the most important skill for a Forth programmer. [1]

Brodie also express what *factoring* means to him:

Factoring means organizing code into useful fragments. To make a fragment useful, you often must separate reusable parts from non-reusable parts. The reusable parts become new definitions. The non-reusable parts become arguments or parameters to the definitions. [1]

¹*Smalltalk*, object-oriented, dynamically typed, reflective programming language.

²<http://st-www.cs.illinois.edu/users/brant/Refactory/RefactoringBrowser.html>

³*Forth* – stack-based, extensible programming language, without type-checking. See <http://www.forth.org>

⁴*Thinking Forth* was first published in 1984 by the *Forth Interest Group*. Then it was reprinted in 1994 with minor typographical corrections, before it was transcribed into an electronic edition typeset in L^AT_EX and published under a Creative Commons licence in 2004. The edition cited here is the 2004 edition, but the content should essentially be as in 1984.

⁵p. 232

Fowler claims that the usage of the word *refactoring* did not pass between the *Forth* and *Smalltalk* communities, but that it emerged independently in each of the communities.

more history?

1.3 Motivation – Why people refactor

To get a grasp of what refactoring is all about, we can try to answer this question: *Why do people refactor?* Possible answers could include: “To remove duplication” or “to break up long methods”. Practitioners of the art of Design Patterns [5] could say that they do it to introduce a long-needed pattern into their program’s design. So it is safe to say that peoples’ intentions are to make their programs *better* in some sense. But what aspects of the programs are becoming improved?

As already mentioned, people often refactor to get rid of duplication. Moving identical or similar code into methods, and maybe pushing those up or down in their class hierarchies. Making template methods for overlapping algorithms/functionality and so on. It’s all about gathering what belongs together and putting it all in one place. And the result? The code is easier to maintain. When removing the implicit coupling between the code snippets, the location of a bug is limited to only one place, and new functionality need only to be added this one place, instead of a number of places people might not even remember.

The same people find out that their program contains a lot of long and hard-to-grasp methods. Then what do they do? They begin dividing their methods into smaller ones, using the *Extract Method* refactoring [4]. Then they may discover something about their program that they weren’t aware of before; revealing bugs they didn’t know about or couldn’t find due to the complex structure of their program. Making the methods smaller and giving good names to the new ones clarifies the algorithms and enhances the *understandability* of the program (see section 1.4). This makes simple refactoring an excellent method for exploring unknown program code, or code that you had forgotten that you wrote!

Proof?

The word *simple* came up in the last section. In fact, most primitive refactorings are simple. The true power of them are revealed first when they are combined into larger — higher level — refactorings, called *composite refactorings* (see section 1.9). Often the goal of such a series of refactorings is a design pattern. Thus the *design* can be evolved throughout the lifetime of a program, opposed to designing up-front. It’s all about being structured and taking small steps to improve a program’s design.

Many refactorings are aimed at lowering the coupling between different classes and different layers of logic. Say for instance that the coupling between the user interface and the business logic of a program is lowered. Then the business logic of the program could much easier be the target of automated tests, increasing the productivity in the software development process. It is also easier to distribute (e.g. between computers) the different components of a program if they are sufficiently decoupled.

which refactorings?

Another effect of refactoring is that with the increased separation of concerns coming out of many refactorings, the *performance* is improved. When profiling programs, the problem parts are narrowed down to smaller parts of the code, which are easier to tune, and optimization can be performed only where needed and in a more effective way.

Last, but not least, and this should probably be the best reason to refactor, is to refactor to *facilitate a program change*. If one has managed to keep one's code clean and tidy, and the code is not bloated with design patterns that is not ever going to be needed, then some refactoring might be needed to introduce a design pattern that is appropriate for the change that is going to happen.

Refactoring program code — with a goal in mind — can give the code itself more value. That is in the form of robustness to bugs, understandability and maintainability. With the first as an obvious advantage, but with the following two being also very important for software development. By incorporating refactoring in the development process, bugs are found faster, new functionality is added more easily and code is easier to understand by the next person exposed to it, which might as well be the person who wrote it. The consequence of this, is that refactoring can increase the average productivity of the development process, and thus also add to the monetary value of a business in the long run. Where this last point also should open the eyes of some nearsighted managers who seldom see beyond the next milestone.

1.4 The magical number seven

The magical number seven, plus or minus two: some limits on our capacity for processing information [7] is an article by George A. Miller that was published in the journal *Psychological Review* in 1956. It presents evidence that support that the capacity of the number of objects a human being can hold in its working memory is roughly seven, plus or minus two objects. This number varies a bit depending on the nature and complexity of the objects, but is according to Miller "...never changing so much as to be unrecognizable."

Miller's article culminates in the section called *Recoding*, a term he borrows from communication theory. The central result in this section is that by recoding information, the capacity of the amount of information that a human can process at a time is increased. By *recoding*, Miller means to group objects together in chunks and give each chunk a new name that it can be remembered by. By organizing objects into patterns of ever growing depth, one can memorize and process a much larger amount of data than if it were to be represented as its basic pieces. This grouping and renaming is analogous to how many refactorings work, by grouping pieces of code and give them a new name. Examples are the central *Extract Method* and *Extract Class* refactorings [4].

...recoding is an extremely powerful weapon for increasing the amount of information that we can deal with. [7]

An example from the article address the problem of memorizing a sequence of binary digits. Let us say we have the following sequence¹ of 16 binary digits: “1010001001110011”. Most of us will have a hard time memorizing this sequence by only reading it once or twice. Imagine if we instead translate it to this sequence: “A273”. If you have a background from computer science, it will be obvious that the latest sequence is the first sequence recoded to be represented by digits with base 16. Most people should be able to memorize this last sequence by only looking at it once.

Another result from the Miller article is that when the amount of information a human must interpret increases, it is crucial that the translation from one code to another must be almost automatic for the subject to be able to remember the translation, before he or she is presented with new information to recode. Thus learning and understanding how to best organize certain kinds of data is essential to efficiently handle that kind of data in the future. This is much like when children learn to read. First they must learn how to recognize letters. Then they can learn distinct words, and later read sequences of words that form whole sentences. Eventually, most of them will be able to read whole books and briefly retell the important parts of its content. This suggest that the use of design patterns [5] is a good idea when reasoning about computer programs. With extensive use of design patterns when creating complex program structures, one does not always have to read whole classes of code to comprehend how they function, it may be sufficient to only see the name of a class to almost fully understand its responsibilities.

Our language is tremendously useful for repackaging material into a few chunks rich in information. [7]

Without further evidence, these results at least indicates that refactoring source code into smaller units with higher cohesion and, when needed, introducing appropriate design patterns, should aid in the cause of creating computer programs that are easier to maintain and has code that is easier (and better) understood.

1.5 Notable contributions to the refactoring literature

1992 William F. Opdyke submits his doctoral dissertation called *Refactoring Object-Oriented Frameworks* [8]. This work defines a set of refactorings, that are behavior preserving given that their preconditions are met. The dissertation is focused on the automation of refactorings.

1999 Martin Fowler et al.: *Refactoring: Improving the Design of Existing Code* [4]. This is maybe the most influential text on refactoring. It

¹The example presented here is slightly modified (and shortened) from what is presented in the original article [7], but it is essentially the same.

Update with more contributions

bears similarities with Opdykes thesis [8] in the way that it provides a catalog of refactorings. But Fowler's book is more about the craft of refactoring, as he focuses on establishing a vocabulary for refactoring, together with the mechanics of different refactorings and when to perform them. His methodology is also founded on the principles of test-driven development.

include

todo *Refactoring to Patterns*

1.6 Tool support

write, section vs. subsection

1.7 Relation to design patterns

write, section vs. subsection, refactoring to patterns?

1.8 The impact on software quality

1.8.1 What is meant by quality?

The term *software quality* has many meanings. It all depends on the context we put it in. If we look at it with the eyes of a software developer, it usually mean that the software is easily maintainable and testable, or in other words, that it is *well designed*. This often correlates with the management scale, where *keeping the schedule* and *customer satisfaction* is at the center. From the customers point of view, in addition to good usability, *performance* and *lack of bugs* is always appreciated, measurements that are also shared by the software developer. (In addition, such things as good documentation could be measured, but this is out of the scope of this document.)

1.8.2 The impact on performance

Refactoring certainly will make software go more slowly, but it also makes the software more amenable to performance tuning. [4]

There is a common belief that refactoring compromises performance, due to increased degree of indirection and that polymorphism is slower than conditionals.

In a survey, Demeyer [2] disproves this view in the case of polymorphism. He is doing an experiment on, what he calls, "Transform Self Type Checks" where you introduce a new polymorphic method and a new class hierarchy to get rid of a class' type checking of a "type attribute". He uses this kind of transformation to represent other ways of replacing conditionals with polymorphism as well. The experiment is performed on the C++ programming language and with three different compilers and platforms. Demeyer concludes that, with compiler optimization turned on,

But is the result better?

polymorphism beats middle to large sized if-statements and does as well as case-statements. (In accordance with his hypothesis, due to similarities between the way C++ handles polymorphism and case-statements.)

The interesting thing about performance is that if you analyze most programs, you find that they waste most of their time in a small fraction of the code. [4]

So, although an increased amount of method calls could potentially slow down programs, one should avoid premature optimization and sacrificing good design, leaving the performance tuning until after profiling¹ the software and having isolated the actual problem areas.

1.9 Composite refactorings

Generally, when thinking about refactoring, at the mechanical level, there are essentially two kinds of refactorings. There are the *primitive* refactorings, and the *composite* refactorings. A primitive refactoring can be defined like this:

Definition. *A primitive refactoring is a refactoring that cannot be expressed in terms of other refactorings.*

Examples are the *Pull Up Field* and *Pull Up Method* refactorings [4], that moves members up in their class hierarchies.

A composite refactoring is more complex, and can be defined like this:

Definition. *A composite refactoring is a refactoring that can be expressed in terms of two or more primitive refactorings.*

An example of a composite refactoring is the *Extract Superclass* refactoring [4]. In its simplest form, it is composed of the previously described primitive refactorings, in addition to the *Pull Up Constructor Body* refactoring [4]. It works by creating an abstract superclass that the target class(es) inherits from, then by applying *Pull Up Field*, *Pull Up Method* and *Pull Up Constructor Body* on the members that are to be members of the new superclass. For an overview of the *Extract Superclass* refactoring, see figure 1.1.

1.10 Manual vs. automated refactorings

Refactoring is something every programmer does, even if he or she does not know the term *refactoring*. Every refinement of source code that does not alter the program's behavior is a refactoring. For small refactorings, such as *Extract Method*, executing it manually is a manageable task, but is still prone to errors. Getting it right the first time is not easy, considering the signature and all the other aspects of the refactoring that has to be in place.

¹For an example of a Java profiler, check out VisualVM: <http://visualvm.java.net/>

motivation, examples, manual vs automated?, what about refactoring in a very large code base?




Figure 1.1: The Extract Superclass refactoring

Take for instance the renaming of classes, methods and fields. For complex programs these refactorings are almost impossible to get right. Attacking them with textual search and replace, or even regular expressions, will fall short on these tasks. Then it is crucial to have proper tool support that can perform them automatically. Tools that can parse source code and thus has semantic knowledge about which occurrences of which names that belongs to what construct in the program. For even trying to perform one of these complex task manually, one would have to be very confident on the existing test suite (see section 1.12).

1.11 Correctness of refactorings

Volker's example?

More than Eclipse?

For automated refactorings to be truly useful, they must show a high degree of behavior preservation. This might seem obvious, but there are examples of refactorings in existing tools that break programs. I will now present an example of an *Extract Method* refactoring followed by a *Move Method* refactoring that breaks a program. The following piece of code shows the target for the composed refactoring:

```

1 public class C {
2     public X x = new X();
3
4     public void f() {
5         x.m(this);
6         x.n();
7     }
8 }

```

The next piece of code shows the destination of the refactoring. Note that the method `m(C c)` of class `C` assigns to the field `x` of the argument `c` that has type `C`:

```

public class X {
    public void m(C c) {
        c.x = new X();
    }
    public void n() {}
}

```

The refactoring sequence works by extracting line 5 and 6 from the original class **C** into a method **f** with the statements from those lines as its method body. The method is then moved to the class **X**. The result is shown in the following two pieces of code:

```

1 public class C {
2     public X x = new X();
3
4     public void f() {
5         x.f(this);
6     }
7 }

```

```

1 public class X {
2     public void m(C c) {
3         c.x = new X();
4     }
5     public void n() {}
6     public void f(C c) {
7         m(c);
8         n();
9     }
10 }

```

Since, after the refactoring, the method **f** of class **C** calls the method **f** of class **X**, the program breaks. (See line 5 of the version of class **C** after the refactoring.) Before the refactoring, the methods **m** and **n** of class **X** are called on different object instances (see line 5 and 6 of the original class **C**). After, they are called on the same object, and the statement on line 3 in the class **X** after the refactoring no longer have any effect in our example.

1.12 Test Driven Development

1.13 Software metrics

Chapter 2

• • •

write

2.1 The problem statement

2.2 Choosing the target language

Choosing which programming language to use as the target for manipulation is not a very difficult task. The language have to be an object-oriented programming language, and it must have existing tool support for refactoring. The *Java* programming language¹ is the dominating language when it comes to examples in the literature of refactoring, and is thus a natural choice. Java is perhaps, currently the most influential programming language in the world, with its *Java Virtual Machine* that runs on all of the most popular architectures and also supports² dozens of other programming languages, with *Scala*, *Clojure* and *Groovy* as the most prominent ones. Java is currently the language that every other programming language is compared against. It is also the primary language of the author of this thesis.

2.3 Choosing the tools

When choosing a tool for manipulating Java, there are certain criterias that have to be met. First of all, the tool should have some existing refactoring support that this thesis can build upon. Secondly it should provide some kind of framework for parsing and analyzing Java source code. Third, it should itself be open source. This is both because of the need to be able to browse the code for the existing refactorings that is contained in the tool, and also because open source projects hold value in them selves. Another important aspect to consider is that open source projects of a certain size, usually has large communities of people connected to them,

¹<https://www.java.com/>

²They compile to java bytecode.

that are committed to answering questions regarding the use and misuse of the products, that to a large degree is made by the community itself.

There is a certain class of tools that meet these criterias, namely the class of *IDEs*¹. These are programs that is ment to support the whole production cycle of a computer program, and the most popular IDEs that support Java, generally have quite good refactoring support.

The main contenders for this thesis is the *Eclipse IDE*², with the *Java development tools (JDT)*, the *IntelliJ IDEA Community Edition*³ and the *NetBeans IDE*⁴. Eclipse and NetBeans are both free, open source and community driven, while the IntelliJ IDEA has an open sourced community edition that is free of charge, but also offer an *Ultimate Edition* with an extended set of features, at additional cost. All three IDEs supports adding plugins to extend their functionality and tools that can be used to parse and analyze Java source code. But one of the IDEs stand out as a favorite, and that is the *Eclipse IDE*. This is the most popular [6] among them and seems to be de facto standard IDE for Java development regardless of platform.

investigate if this is true

¹*Integrated Development Environment*

²<http://www.eclipse.org/>

³<http://www.jetbrains.com/idea/>

⁴<https://netbeans.org/>

Chapter 3

Refactorings in Eclipse JDT: Design, Shortcomings and Wishful Thinking

This chapter will deal with some of the design behind refactoring support in Eclipse, and the JDT in specific. After which it will follow a section about shortcomings of the refactoring API in terms of composition of refactorings. The chapter will be concluded with a section telling some of the ways the implementation of refactorings in the JDT could have worked to facilitate composition of refactorings.

3.1 Design

The refactoring world of Eclipse can in general be separated into two parts: The language independent part and the part written for a specific programming language – the language that is the target of the supported refactorings.

What about the language specific part?

3.1.1 The Language Toolkit

The Language Toolkit, or LTK for short, is the framework that is used to implement refactorings in Eclipse. It is language independent and provides the abstractions of a refactoring and the change it generates, in the form of the classes **Refactoring**¹ and **Change**². (There is also parts of the LTK that is concerned with user interaction, but they will not be discussed here, since they are of little value to us and our use of the framework.)

The Refactoring Class

The abstract class **Refactoring** is the core of the LTK framework. Every refactoring that is going to be supported by the LTK have to end up creating an instance of one of its subclasses. The main responsibilities of subclasses

¹`org.eclipse.ltk.core.refactoring.Refactoring`

²`org.eclipse.ltk.core.refactoring.Change`

of **Refactoring** is to implement template methods for condition checking (**checkInitialConditions**¹ and **checkFinalConditions**²), in addition to the **createChange**³ method that creates and returns an instance of the **Change** class.

If the refactoring shall support that others participate in it when it is executed, the refactoring has to be a processor-based refactoring⁴. It then delegates to its given **RefactoringProcessor**⁵ for condition checking and change creation.

The Change Class

This class is the base class for objects that is responsible for performing the actual workspace transformations in a refactoring. The main responsibilities for its subclasses is to implement the **perform**⁶ and **isValid**⁷ methods. The **isValid** method verifies that the change object is valid and thus can be executed by calling its **perform** method. The **perform** method performs the desired change and returns an undo change that can be executed to reverse the effect of the transformation done by its originating change object.

Executing a Refactoring

The life cycle of a refactoring generally follows two steps after creation: condition checking and change creation. By letting the refactoring object be handled by a **CheckConditionsOperation**⁸ that in turn is handled by a **CreateChangeOperation**⁹, it is assured that the change creation process is managed in a proper manner.

The actual execution of a change object has to follow a detailed life cycle. This life cycle is honored if the **CreateChangeOperation** is handled by a **PerformChangeOperation**¹⁰. If also an undo manager¹¹ is set for the **PerformChangeOperation**, the undo change is added into the undo history.

3.2 Shortcomings

This section is introduced naturally with a conclusion: The JDT refactoring implementation does not facilitate composition of refactorings. This section will try to explain why, and also identify other shortcomings of both the usability and the readability of the JDT refactoring source code.

refine

¹`org.eclipse.ltk.core.refactoring.Refactoring#checkInitialConditions()`

²`org.eclipse.ltk.core.refactoring.Refactoring#checkFinalConditions()`

³`org.eclipse.ltk.core.refactoring.Refactoring#createChange()`

⁴`org.eclipse.ltk.core.refactoring.participants.ProcessorBasedRefactoring`

⁵`org.eclipse.ltk.core.refactoring.participants.RefactoringProcessor`

⁶`org.eclipse.ltk.core.refactoring.Change#perform()`

⁷`org.eclipse.ltk.core.refactoring.Change#isValid()`

⁸`org.eclipse.ltk.core.refactoring.CheckConditionsOperation`

⁹`org.eclipse.ltk.core.refactoring.CreateChangeOperation`

¹⁰`org.eclipse.ltk.core.refactoring.PerformChangeOperation`

¹¹`org.eclipse.ltk.core.refactoring.IUndoManager`

I will begin at the end and work my way toward the composition part of this section.

3.2.1 Absence of Generics in Eclipse Source Code

This section is not only concerning the JDT refactoring API, but also large quantities of the Eclipse source code. The code shows a striking absence of the Java language feature of generics. It is hard to read a class' interface when methods return objects or takes parameters of raw types such as **List** or **Map**. This sometimes results in having to read a lot of source code to understand what is going on, instead of relying on the available interfaces. In addition, it results in a lot of ugly code, making the use of typecasting more of a rule than an exception.

3.2.2 Composite Refactorings Will Not Appear as Atomic Actions

Missing Flexibility from JDT Refactorings

The JDT refactorings are not made with composition of refactorings in mind. When a JDT refactoring is executed, it assumes that all conditions for it to be applied successfully can be found by reading source files that has been persisted to disk. They can only operate on the actual source material, and not (in-memory) copies thereof. This constitutes a major disadvantage when trying to compose refactorings, since if an exception occur in the middle of a sequence of refactorings, it can leave the project in a state where the composite refactoring was executed only partly. It makes it hard to discard the changes done without monitoring and consulting the undo manager, an approach that is not bullet proof.

Broken Undo History

When designing a composed refactoring that is to be performed as a sequence of refactorings, you would like it to appear as a single change to the workspace. This implies that you would also like to be able to undo all the changes done by the refactoring in a single step. This is not the way it appears when a sequence of JDT refactorings is executed. It leaves the undo history filled up with individual undo actions corresponding to every single JDT refactoring in the sequence. This problem is not trivial to handle in Eclipse. (See section 4.2.6.)

3.3 Wishful Thinking

Chapter 4

Composite Refactorings in Eclipse

4.1 A Simple Ad Hoc Model

As pointed out in chapter 3, the Eclipse JDT refactoring model is not very well suited for making composite refactorings. Therefore a simple model using changer objects (of type **RefaktorChanger**) is used as an abstraction layer on top of the existing Eclipse refactorings.

4.2 The Extract and Move Method Refactoring

4.2.1 The Building Blocks

This is a composite refactoring, and hence is built up using several primitive refactorings. These basic building blocks are, as its name implies, the *Extract Method* refactoring [4] and the *Move Method* refactoring [4]. In Eclipse, the implementations of these refactorings are found in the classes **ExtractMethodRefactoring**¹ and **MoveInstanceMethodProcessor**², where the last class is designed to be used together with the processor-based **MoveRefactoring**³.

The ExtractMethodRefactoring Class

This class is quite simple in its use. The only parameters it requires for construction is a compilation unit⁴, the offset into the source code where the extraction shall start, and the length of the source to be extracted. Then you have to set the method name for the new method together with which access modifier that shall be used and some not so interesting parameters.

¹`org.eclipse.jdt.internal.corext.refactoring.code.ExtractMethodRefactoring`

²`org.eclipse.jdt.internal.corext.refactoring.structure.MoveInstanceMethodProcessor`

³`org.eclipse.ltk.core.refactoring.participants.MoveRefactoring`

⁴`org.eclipse.jdt.core.ICompilationUnit`

The MoveInstanceMethodProcessor Class

For the Move Method the processor requires a little more advanced input than the class for the Extract Method. For construction it requires a method handle¹ from the Java Model for the method that is to be moved. Then the target for the move have to be supplied as the variable binding from a chosen variable declaration. In addition to this, one have to set some parameters regarding setters/getters and delegation.

To make a whole refactoring from the processor, one have to construct a **MoveRefactoring** from it.

4.2.2 The ExtractAndMoveMethodChanger Class

The **ExtractAndMoveMethodChanger**² class, that is a subclass of the class **RefaktorChanger**³, is the class responsible for composing the **ExtractMethodRefactoring** and the **MoveRefactoring**. Its constructor takes a project handle⁴, the method name for the new method and a **SmartTextSelection**⁵.

A **SmartTextSelection** is basically a text selection⁶ object that enforces the providing of the underlying document during creation. I.e. its **getDocument**⁷ method will never return **null**.

Before extracting the new method, the possible targets for the move operation is found with the help of an **ExtractAndMoveMethodPrefixesExtractor**⁸. The possible targets is computed from the prefixes that the extractor returns from its **getSafePrefixes**⁹ method. The changer then choose the most suitable target by finding the most frequent occurring prefix among the safe ones. The target is the type of the first part of the prefix.

After finding a suitable target, the **ExtractAndMoveMethodChanger** first creates an **ExtractMethodRefactoring** and performs it as explained in section 3.1.1 about the execution of refactorings. Then it creates and performs the **MoveRefactoring** in the same way, based on the changes done by the Extract Method refactoring.

4.2.3 The ExtractAndMoveMethodPrefixesExtractor Class

This extractor extracts properties needed for building the Extract and Move Method refactoring. It searches through the given selection to find safe prefixes, and those prefixes form a base that can be used to compute possible targets for the move part of the refactoring. It finds both the candidates, in the form of prefixes, and the non-candidates, called unfixes. All prefixes

¹`org.eclipse.jdt.core.IMethod`

²`no.uio.ifi.refaktor.changers.ExtractAndMoveMethodChanger`

³`no.uio.ifi.refaktor.changers.RefaktorChanger`

⁴`org.eclipse.core.resources.IProject`

⁵`no.uio.ifi.refaktor.utils.SmartTextSelection`

⁶`org.eclipse.jface.text.ITextSelection`

⁷`no.uio.ifi.refaktor.utils.SmartTextSelection#getDocument()`

⁸`no.uio.ifi.refaktor.extractors.ExtractAndMoveMethodPrefixesExtractor`

⁹`no.uio.ifi.refaktor.extractors.ExtractAndMoveMethodPrefixesExtractor#getSafePrefixes()`

(and unfixes) are represented by a **Prefix**¹, and they are collected into prefix sets.²

The prefixes and unfixes are found by property collectors³. A property collector follows the visitor pattern [5] and is of the **ASTVisitor**⁴ type. An **ASTVisitor** visits nodes in an abstract syntax tree that forms the Java document object model. The tree consists of nodes of type **ASTNode**⁵.

The PrefixesCollector

The **PrefixesCollector**⁶ is of type **PropertyCollector**. It visits expression statements⁷ and creates prefixes from its expressions in the case of method invocations. The prefixes found is registered with a prefix set, together with all its sub-prefixes.

Rewrite in the case of changes to the way prefixes are found

The UnfixesCollector

The **UnfixesCollector**⁸ finds unfixes within the selection. An unfix is a name that is assigned to within the selection. The reason that this cannot be allowed, is that the result would be an assignment to the **this** keyword, which is not valid in Java.

Computing Safe Prefixes

A safe prefix is a prefix that does not enclose an unfix. A prefix is enclosing an unfix if the unfix is in the set of its sub-prefixes. As an example, "a.b" is enclosing "a", as is "a". The safe prefixes is unified in a **PrefixSet** and can be fetched calling the **getSafePrefixes** method of the **ExtractAndMoveMethodPrefixesExtractor**.

4.2.4 The Prefix Class

?

4.2.5 The PrefixSet Class

4.2.6 Hacking the Refactoring Undo History

As an attempt to make multiple subsequent changes to the workspace appear as a single action (i.e. make the undo changes appear as such), I tried to alter the undo changes⁹ in the history of the refactorings.

Where to put this section?

¹`no.uio.ifi.refaktor.extractors.Prefix`

²`no.uio.ifi.refaktor.extractors.PrefixSet`

³`no.uio.ifi.refaktor.extractors.collectors.PropertyCollector`

⁴`org.eclipse.jdt.core.dom.ASTVisitor`

⁵`org.eclipse.jdt.core.do.ASTNode`

⁶`no.uio.ifi.refaktor.extractors.collectors.PrefixesCollector`

⁷`org.eclipse.jdt.core.dom.ExpressionStatement`

⁸`no.uio.ifi.refaktor.extractors.collectors.UnfixesCollector`

⁹`org.eclipse.ltk.core.refactoring.Change`

My first impulse was to remove the, in this case, last two undo changes from the undo manager¹ for the Eclipse refactorings, and then add them to a composite change² that could be added back to the manager. The interface of the undo manager does not offer a way to remove/pop the last added undo change, so a possible solution could be to decorate [5] the undo manager, to intercept and collect the undo changes before delegating to the **addUndo** method³ of the manager. Instead of giving it the intended undo change, a null change could be given to prevent it from making any changes if run. Then one could let the collected undo changes form a composite change to be added to the manager.

There is a technical challenge with this approach, and it relates to the undo manager, and the concrete implementation `UndoManager2`⁴. This implementation is designed in a way that it is not possible to just add an undo change, you have to do it in the context of an active operation⁵. One could imagine that it might be possible to trick the undo manager into believing that you are doing a real change, by executing a refactoring that is returning a kind of null change that is returning our composite change of undo refactorings when it is performed.

Apart from the technical problems with this solution, there is a functional problem: If it all had worked out as planned, this would leave the undo history in a dirty state, with multiple empty undo operations corresponding to each of the sequentially executed refactoring operations, followed by a composite undo change corresponding to an empty change of the workspace for rounding of our composite refactoring. The solution to this particular problem could be to intercept the registration of the intermediate changes in the undo manager, and only register the last empty change.

Unfortunately, not everything works as desired with this solution. The grouping of the undo changes into the composite change does not make the undo operation appear as an atomic operation. The undo operation is still split up into separate undo actions, corresponding to the change done by its originating refactoring. And in addition, the undo actions has to be performed separate in all the editors involved. This makes it no solution at all, but a step toward something worse.

There might be a solution to this problem, but it remains to be found. The design of the refactoring undo management is partly to be blamed for this, as it is too complex to be easily manipulated.

¹`org.eclipse.ltk.core.refactoring.IUndoManager`

²`org.eclipse.ltk.core.refactoring.CompositeChange`

³`org.eclipse.ltk.core.refactoring.IUndoManager#addUndo()`

⁴`org.eclipse.ltk.internal.core.refactoring.UndoManager2`

⁵`org.eclipse.core.commands.operations.TriggeredOperations`

Bibliography

- [1] Leo Brodie. *Thinking Forth*. 1984, 1994, 2004. URL: <http://thinking-forth.sourceforge.net/>.
- [2] Serge Demeyer. “Maintainability Versus Performance: What’s the Effect of Introducing Polymorphism?” In: *ICSE’2003* (2002).
- [3] Martin Fowler. *Etymology Of Refactoring*. 2003. URL: <http://martinfowler.com/bliki/EtymologyOfRefactoring.html>.
- [4] Martin Fowler. *Refactoring: improving the design of existing code*. Reading, MA: Addison-Wesley, 1999. ISBN: 0201485672.
- [5] Erich Gamma et al. *Design patterns : elements of reusable object-oriented software*. Reading, MA: Addison-Wesley, 1995. ISBN: 0201633612.
- [6] *JAVA EE Productivity Report 2011*. Survey. 2011. URL: http://zeroturnaround.com/wp-content/uploads/2010/11/Java_EE_Productivity_Report_2011_finalv2.pdf.
- [7] George A. Miller. “The magical number seven, plus or minus two: some limits on our capacity for processing information.” In: *Psychological Review* 63.2 (1956), pp. 81–97. ISSN: 1939-1471(Electronic);0033-295X(Print). DOI: 10.1037/h0043158.
- [8] William F. Opdyke. “Refactoring Object-oriented Frameworks.” UMI Order No. GAX93-05645. Champaign, IL, USA: University of Illinois at Urbana-Champaign, 1992.
- [9] Don Roberts, John Brant, and Ralph Johnson. “A Refactoring Tool for Smalltalk.” In: *Theor. Pract. Object Syst.* 3.4 (Oct. 1997), 253–263. ISSN: 1074-3227.

Todo list

what does he mean by internal?	1
find reference to Smalltalk website or similar?	2
more history?	3
Proof?	3
which refactorings?	3
Update with more contributions	5
include	6
write, section vs. subsection	6
write, section vs. subsection, refactoring to patterns?	6
But is the result better?	6
motivation, examples, manual vs automated?, what about refactoring in a very large code base?	7
Volker's example?	8
More than Eclipse?	8
write	11
investigate if this is true	12
What about the language specific part?	13
refine	14
Rewrite in the case of changes to the way prefixes are found	19
?	19
Where to put this section?	19